

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION AND COMPANY INFORMATION

Product Name: Fluidify
Product Use: Degreaser
Product Code: 7283
Date of Issue: 01-01-12
Supplier: Evcor Solutions Inc.
Address: 530 Adelaide Street West
Site 6107
Toronto, Ontario . M5V 1T5
Telephone: (416) 409 7477
Emergency Phone: 613-996 6666 (CANUTEC)

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

Name	%	C.A.S.#	LC/50, Route,Species	LD/50, Route,Species
Distillates (petroleum) Hydrotreated Light	60-100	64742-47-8	Not available	> 5000 mg/kg Oral, Rat >3000 mg/kg Dermal Rabbit
o-dichlorobenzene	5-10	95-50-1	Not available	4386 mg/kg Oral, Rat
Ethylene glycol Monobutyl ether	3-7	111-76-2	470 ppm/4hr Inh, Rat	470 mg/kg Oral, Rat 220 mg/kg (Dermal Rabbit)

SECTION 3 – HAZARDS IDENTIFICATION

Emergency overview: May cause irritation to eyes.

Route of Entry: Eye contact, Skin contact, Inhalation, Ingestion.

EFFECTS OF ACUTE EXPOSURE:

Eye Contact: Contact can cause irritation, reddening and swelling of tissues around the eyes.

Skin Contact: Frequent or prolonged contact may result in skin irritation.

Inhalation: High vapour concentrations (attainable at elevated temperatures well above ambient) are irritating to the eyes and respiratory tract and may cause headaches, dizziness, anesthesia, drowsiness and unconsciousness.

Ingestion: Ingestion may cause nausea, weakness and central nervous system effects.

Effects of chronic exposure: Prolonged or repeated skin exposure can cause drying, defatting and dermatitis.

SECTION 4 – FIRST AID MEASURES

Eyes: Flush with water for 15 minutes. Seek medical attention if irritation persists.

Skin: Rinse with water for 10 minutes. Seek medical attention if irritation develops and persists.

Inhalation: Remove to fresh air and take deep, slow breaths. Seek medical attention if irritation persists.

Ingestion: Do not induce vomiting. Rinse mouth with water. Then drink two or more glasses of water.

Do not give anything by mouth if victim is unconscious. Seek medical attention if symptoms persist.

SECTION 5 – FIRE FIGHTING MEASURES

Flash Point: (deg C, TCC): 44

Upper Flammable Limits: Not available.

Lower Flammable Limits: Not available.

Auto Ignition Temperature (°C): Not available.

Hazardous Combustion Products (under fire conditions): Carbon dioxide and carbon monoxide, acrid smoke and fumes, hydrocarbons.

Fire fighting media and instructions: This product is a combustible substance.

Use DRY chemicals, CO₂, alcohol foam or water spray.

Containers exposed to intense heat from fires should be cooled with water to prevent vapour pressure build-up which could result in container rupture.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Risk of explosion of the product in the presence of mechanical impact: Not available.

Risk of explosion of the product in the presence of static discharge: Not available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures: Use appropriate personal protective equipment as specified in Section 8.

Environmental Precautions

and Clean Up Procedures: Before attempting clean up, refer to hazard data given above. Ventilate area of leak or spill. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Rinse with water to clean up residue and reduce possible slippery floor hazard.

SECTION 7 – HANDLING AND STORAGE

Handling: Use appropriate measures when handling product.

Storage: Keep out of reach of children. Store in closed containers only.

Store away from incompatible materials. Store in a cool, dry well-ventilated area not to exceed 50°C.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: General ventilation normally adequate to control airborne levels.

Personal Protection: The selection of personal protective equipment varies, depending upon conditions of use.

Eyes: Where direct eye contact may be a problem, use chemical splash goggles to avoid possible contact.

Hands: If prolonged/repeated contact occurs, use impervious (latex rubber) protective gloves.

Skin: No protective equipment is needed under normal use conditions.

Respiratory: Not normally required if good ventilation is maintained.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Name	Exposure Limit - ACGIH
Distillates (petroleum) Hydrotreated Light	1200 mg/m ³ (197 mmp) based on total hydrocarbon
o-dichlorobenzene	25 ppm TWA 50 ppm Ceiling limit
Ethylene glycol Monobutyl ether	25 ppm TWA

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Odour: clear yellow, solvent odour.

Boiling Point: (deg C): Not available.

Specific Gravity: ((H₂O =1)): 0.88

Vapour Pressure: (mm Hg): Not available.

Freezing/ Melting point: Not available.

Vapour Density (AIR=1): Not available.

Evaporation Rate (Water=1): Similar.

Solubility in water: Rinseable.

pH (as supplied): Not available.

Physical State: Liquid.

Viscosity: Not available.

SECTION 10 – STABILITY AND REACTIVITY

Stability: The product is stable.

Conditions to avoid: Avoid excessive heat, open flames and all ignition sources.

Incompatible Materials: Strong-oxidizing agents.

Hazardous Decomposition Products: Not available.

SECTION 11 – TOXICOLOGICAL INFORMATION

Irritancy of Material: See Section 3 for Potential Health Effects.

Carcinogenic effects: None of the ingredients is listed by IARC, ACGIH, NTP, and OSHA as carcinogen.

Teratogenic effects, Mutagenic effects, Reproductive Effects, Sensitization effects: No data available

Synergistic materials: Not available

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: There is no test data on this product.

Environmental Fate: There is no test data on this product.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste must be disposed of in accordance with Local, Provincial and Federal Regulations.

SECTION 14 – TRANSPORTATION INFORMATION

T.D.G. CLASSIFICATION: Not regulated.

TDG Proper Shipping Name: -

Class -

UN Number: -

Packing Group: -

Note: Please refer to the Bill of Lading documents for up to date shipping information.

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification: Class B - Division 3: Combustible liquid with a flash point between 37.8 °C and 93.3°C.
Class D - Division 2B: Material causing other toxic effects (Toxic).

Canadian Domestic Substance List (DSL): All the ingredients are listed.

Additional Information: This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations and the MSDS contains all the information required.

SECTION 16 – OTHER INFORMATION

Date: 01-01-12

Prepared by: Technical department

Date of previous issue: 01-01-09

DISCLAIMER:**NOTICE TO READER:**

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. No warranty, expressed or implied, is made and the supplier will not be liable for any losses, injuries or consequential damages, which may result from the use of or reliance on any information, contained in this form.