

Evcor Solutions Inc.  
 530 Adelaide Street West  
 Suite 6107, Toronto, Ontario  
 Canada M5V 1T5  
 1-800-860-1537

**PRODUCT: SLIDE 340G**

**Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

MANUFACTURER ..... Evcor Solutions Inc.  
 530 Adelaide Street West  
 Suite 6107  
 Toronto, Ontario  
 Canada M5V 1T5  
 CANUTEC EMERGENCY #:1-613-996-6666(24HR)  
 PRODUCT NAME..... SLIDE 340G  
 CHEMICAL FAMILY..... SILICONE LUBRICANT.  
 MOLECULAR WEIGHT..... NOT APPLICABLE.  
 CHEMICAL FORMULA..... NOT APPLICABLE.  
 TRADE NAMES & SYNONYMS  
 RECOMMENDED PRODUCT USES..... LUBRICANT.  
 FORMULA/LAB BOOK #..... F 03-009.

**Section 02: HAZARDS IDENTIFICATION**



HAZARD CLASSIFICATION..... NOT ASSESSED.  
 SIGNAL WORD..... NOT ASSESSED.  
 HAZARD STATEMENTS ..... NOT ASSESSED.  
 PRECAUTIONARY STATEMENTS..... NOT ASSESSED.  
 OTHER HAZARDS..... NOT ASSESSED.

**Section 03: COMPOSITION/INFORMATION INGREDIENTS**

Hazardous Ingredients	CAS #	Wt. %
ACETONE	67-64-1	5-10
HEPTANE	142-82-5	30-60
ISOBUTANE	75-28-5	7-13
ODOURLESS MINERAL SPIRITS	64742-48-9	1-5
PROPANE	74-98-6	10-30

**Section 04: FIRST AID MEASURES**

EMERGENCY FIRST AID PROCEDURE .... IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

**Section 05: FIRE FIGHTING MEASURES**

FLAMMABILITY..... FLAMMABLE.  
 IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.  
 SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.  
 EXPLOSION DATA  
 SENSITIVITY TO STATIC DISCHARGE. NOT APPLICABLE.  
 SENSITIVITY TO IMPACT..... NOT APPLICABLE.  
 EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
 HAZARDOUS COMBUSTION PRODUCTS..... POSSIBLE PHOSGENE OVER 250 DEG C, CHLORINE GAS, HYDROCHLORIC ACID, HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.  
 AEROSOL FLAME PROJECTION CLASSIFIED AS:..... >45cm.

**PRODUCT: SLIDE 340G**

**Section 06: ACCIDENTAL RELEASE MEASURES**

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

**Section 07: HANDLING AND STORAGE**

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.  
 ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS).  
 HANDLING PROCEDURES AND EQUIPMENT ..... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.  
 SYNERGISTIC MATERIALS..... NONE KNOWN.

**Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ingredients	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
-------------	-----	-------------------	-----	------------------	-----	-------

GLOVES/ TYPE..... WEAR CHEMICAL RESISTANT GLOVES.  
 RESPIRATORY/TYPE..... IF USED INDOORS ON A CONTINUOUS BASIS, USE OF A CARTRIDGE TYPE RESPIRATOR (NIOSH/MSHATC 23C OR EQUIVALENT) IS RECOMMENDED.  
 EYE/TYPE..... SAFETY GLASSES.  
 FOOTWEAR/TYPE..... NOT NORMALLY REQUIRED.  
 OTHER/TYPE..... NOT REQUIRED.  
 EXPOSURE LIMIT OF MATERIAL..... SEE SECTION 2.

**Section 09: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE..... LIQUID.  
 APPEARANCE..... CLEAR LIQUID.  
 ODOR..... CHARACTERISTIC.  
 ODOR THRESHOLD..... NOT AVAILABLE.  
 pH..... NOT APPLICABLE.  
 FREEZING POINT: (°C)..... NOT AVAILABLE.  
 BOILING POINT (°C)(CONC)..... 57-200.  
 FLASH POINT (C), TAG CLOSED CUP..... LOWEST KNOWN VALUE IS ACETONE @ -18C.  
 EVAPORATION RATE..... GREATER THAN 1.  
 n-BUTYL ACETATE = 1  
 UPPER FLAMMABLE LIMIT..... 12.8.  
 (% BY VOLUME)  
 LOWER FLAMMABLE LIMIT..... 1.0.  
 (% BY VOLUME)  
 VAPOUR PRESSURE(PSIG)-AEROSOL..... 45-55.  
 @ 20 C  
 VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.  
 (BY WEIGHT)  
 SPECIFIC GRAVITY (LIQUID)..... 0.67-0.71.  
 SOLUBILITY IN WATER g/L (20°C)..... NOT AVAILABLE.  
 COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.  
 AUTO IGNITION TEMPERATURE (°C)..... 465.  
 (BY WEIGHT).

**Section 10: STABILITY AND REACTIVITY**

HAZARDOUS PRODUCTS OF DECOMPOSITION..... POSSIBLE PHOSGENE OVER 250 DEG C, CHLORINE GAS, HYDROCHLORIC ACID. HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.  
 CHEMICAL STABILITY:  
 YES..... UNDER NORMAL CONDITIONS.  
 NO, WHICH CONDITIONS?..... NOT APPLICABLE.  
 COMPATIBILITY WITH OTHER SUBSTANCES:  
 NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.  
 REACTIVITY CONDITIONS?..... NOT APPLICABLE.

**PRODUCT: SLIDE 340G**

**Section 11: TOXICOLOGICAL INFORMATION**

Ingredients	LC50-inh, rat	LD50-Oral, rat
ACETONE	>16,000 ppm (4 hr) INHAL - RAT	>9750 mg/kg ORAL - RAT
HEPTANE	NOT AVAILABLE	>15000 mg/kg ORAL-RAT
ISOBUTANE	142,500 ppm (4h) INHAL - RAT	NOT APPLICABLE
ODOURLESS MINERAL SPIRITS	5,500mg/m3(4h)	5000 mg/kg ORAL - RAT
PROPANE	NOT AVAILABLE	>5000 mg/kg DERMAL-RABBITS
ROUTE OF ENTRY:		
INHALATION.....	MAY CAUSE DIZZINESS AND IRRITATION. INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIANT.	
INGESTION.....	MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.	
EYE CONTACT.....	MAY CAUSE IRRITATION.	
SKIN CONTACT.....	NO.	
SKIN ABSORPTION.....	NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.	
EFFECTS OF ACUTE EXPOSURE.....	DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES. DUST OR VAPORS MAY BE IRRITATING TO SKIN, EYES, AND RESPIRATORY TRACT.	
EFFECTS OF CHRONIC EXPOSURE.....	SOLVENTS MAY CAUSE DEFATTING DERMATITIS	
IRRITANCY OF MATERIAL.....	SKIN/EYE IRRITANT.	
CARCINOGENICITY OF MATERIAL.....	HEPTANE CONTAINS TRACE AMOUNT OF BENZENE - CARCINOGENIC RISKS TO HUMANS BASED ON THE EVALUATION OF IARC WORKING GROUP.	
MUTAGENICITY.....	BENZENE - MAY CAUSE HERITABLE GENETIC DAMAGE.	
TERATOGENICITY.....	NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED.	
REPRODUCTIVE EFFECTS.....	BENZENE - CAUSES FOETOTOXICITY IN ANIMALS AT DOSES WHICH ARE MATERNALLY TOXIC. DOES NOT IMPAIR FERTILITY.	
SENSITIZING CAPABILITY OF MATERIAL.	UNKNOWN.	

**Section 12: ECOLOGICAL CONSIDERATIONS**

ENVIRONMENTAL..... NOT AVAILABLE.

**Section 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

**Section 14: TRANSPORTATION INFORMATION**

T.D.G. CLASSIFICATION..... CONSUMER COMMODITY( AEROSOLS, UN1950, CLASS 2.1).  
 D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.

**Section 15: REGULATORY INFORMATION**

CANADIAN REGULATIONS:

WHMIS CLASSIFICATION..... A,B5,D2B.  
 CNFC SECTION 3.3.5..... LEVEL 3.  
 CEPA (Canadian Environmental Protection Act) ... ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

U.S. REGULATIONS:

HMIS RATING HEALTH..... 3 SERIOUS HAZARD.  
 HMIS RATING FLAMMABILITY..... 2 MODERATE HAZARD.  
 HMIS RATING REACTIVITY..... 0 MINIMAL HAZARD.  
 HMIS RATING PERSONAL PROTECTION.. B.  
 NFPA CODE 30B..... LEVEL 3.  
 SARA 313 INFORMATION:..... THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:

. CAS #: . N/A. CHEMICAL NAME:

CALIFORNIA PROPOSITION 65:..... THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986:  
 . WARNING: THIS PRODUCT CONTAINS A CHEMICAL

PRODUCT: SLIDE 340G

**Section 15: REGULATORY INFORMATION**

CALIFORNIA PROPOSITION 65:.....  TSCA (Toxic Substances Control Act)..... VOC (w/w%).....	KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. NAME:  BENZENE ( TRACE AMOUNT IN HEPTANE ) ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING. 89-90.	. CAS #: CHEMICAL  . *71-43-2
--	--	-------------------------------------

**Section 16: OTHER INFORMATION**

NOTICE FROM EVCOR SOLUTIONS ..... INC.   PREPARED BY..... PREPARATION DATE .....	THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY EVCOR SOLUTIONS INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. THE EVCOR SOLUTIONS INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS. Regulatory Affairs January 1, 2015
---	---